


Advisory Service bulletin 32/16, Friday dt.05-08-2016

(Issued jointly by IAAS Vellanikkara)

Dept. of Agriculture Meteorology, College of Horticulture, Vellanikkara E mail: kauagmet@yahoo.co.in, cohagmet@kau.in



PALAKKAD

CURRENT SYNOPTIC SITUATION: An offshore trough at mean sea level runs from Karnataka to Kerala coast.

NWP MODELS BASED DISTRICT LEVEL WEATHER FORECAST ISSUED ON: 05.08.2016

VALID TILL 08:30 HRS IST OF THE NEXT 5 DAYS

STATE: KERALA

PARAMETERS	ENSEMBLE FCST				
	DAY-1 06/08	DAY-2 07/08	DAY-3 08/08	DAY-4 09/08	DAY-5 10/08
DISTRICT : PALAKKAD					
	6	 4	2	3	0
fax Temperature (deg C)	30	30	30	30	30
fin Temperature (deg C)	23	23	23	23	23
otal cloud cover (octa)	6	6	6	6	6
ax Relative Humidity (%)	90	90	90	90	90
In Relative Humidity (%)	70	70	70	70	70
ind speed (kmph)	800	008	008	006	006
Ind direction (deg)	270	270	270	250	250

Agro Meteorological Advisories:

Сгор	Stage of the crop / Pest/Disease	Advisories	
Paddy (Jyothi,		Tilloring stage in first neddy grap	
Kanchana)	Tillering stage	Tillering stage in first paddy crop.	
Coconut	Mahali	There is a chance of Mahali disease during rainy season. Apply 1% Bordeaux mixture.	
Nutmeg	Fruit rot	There is a chance for fruit rot disease in nutmeg at rainy season. To control this apply 1% Bordeaux mixture. There is a chance of spliting of fruit before ripening due to the deficiency of Potassium and Boron.	
Vegetables	Hairy	Destroy caterpillars, For severe attack spray 2 milli fame 10 litre	
(Cowpea)	caterpillar	of water.	